Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday, the 6th August 1938.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of order
Local.			Messrs.—	Rs. a. p.
4494	*Crude Oil Engine*—Single cylinder complete with fly wheel, driving pulley, fuel tank, accessories and spare parts.	One	A.C.E.C. India, Ltd., Bombay ..	850 0 0 f.o.r., Chitaldrug
2867				
4495	Incubator—wide range arranged for heating by electricity size 16" × 14" × 14" fitted with patent control for temperature adjustment.	One	Baird & Tatlock (London) Ltd., Calcutta.	460 0 0 f.o.r., Channapatna
2882				
4496	M. S. Sheets 8' × 4' × ¼" ..	22 sheets	Gulamali Abdul Hussein & Co., Madras.	10 0 0 per cwt., f.o.r., Bangalore.
2911	Do 6' × 3' × ¼" ..	10 sheets	Do do ..	Do do
4498	Tyres—High speed HD. for use on Hansa Lloyds lorry 6.50 × 20.	Four	Firestone Tyre & Rubber Co. of India, Limited, Madras.	49 14 0 each, f.o.r., Tumkur.
2922				
4499	Vitivert Oil, Java	40 lbs.	K. H. Dhandhare, Bombay ..	Sh. 11 per lb., c.i.f., Madras
				Rs. a. p.
4501	*Electrode Rods*—Metrovicks No. 10 S. W. G. welding, each rod being 18" in length.	4,000	Associated Electrical Industries (India), Ltd., Bangalore.	50 1 6 per 1,000 rods, free delivery in Bangalore.
2901				
4233	Renewable fuse plug casings medium screw base 30 amps.	3,500	International General Electric Co., Ltd., Bangalore City.	1,855 0 0 lot, f.o.r., Davangere.
Extn.				
	Do do 10 amps.	1,000	Do do ..	630 0 0 do
	Cutouts—Double pole mainline fuse plug 30 amps. 125 volts.	1,500	Do do ..	980 0 0 do
	Enclosed fused with links 10 amps.	1,000	Do do ..	950 0 0 do
	Do 20 amps.	500	Do do ..	475 0 0 do
	Do 30 amps.	500	Do do ..	475 0 0 do
4502	C. I. laterals 2" dia. ranging from 1'—10½" to 7'—9".	396 Ft.	Mysore Iron & Steel Works, Bhadravati.	495 0 0 lot, f.o.r., Bhadravati.
	C. I. Sockets for the above laterals	66	Do do ..	149 0 0 do
	Brass nipples 1½" dia. 3½' long ..	34		
	Do 1½' long ..	32	Do do ..	176 0 0 do
4503	Straw Boards—12 oz. quality ..	6 tons	W. A. Beardsell & Co., Ltd., Madras.	£ 5 10 0 per ton, c.i.f., Madras.
	Do 16 oz. ,, ..	2½ tons		
				Rs. a. p.
4504	Asphaltic Bitumen 180/200 penetration for the manufacture of emulsion for road surfacing packed in non-returnable steel drums.	Approximate quantity 1,500—1,600 tons.	Burmah Shell Oil Storage and Distributing Co. of India, Limited, Madras.	112 0 0 per ton nett, f.o.r., Bangalore.
2919				118 0 0 per ton nett, f.o.r., Mysore.
4505	Engineers precise level with telescope equivocal length 9.2".	Two	P. Orr & Sons, Madras ..	650 0 0 each, f.o.r., Mandya
2891				
	Bumpy level—object glass 14" F. L. aperture 1.5" power of telescope x 28 pull out diaphragm with accessories.	Two	Do	340 0 0 do
	Engineers Dumpy level—Stanleys 12" with quick setting arrangements complete with stand and accessories.	Two	J. V. Navalakhi & Co., Bombay	430 0 0 do
4506	Cast Iron Road boxes 6" × 6" square heavy type weighing not less than 45 lbs.	100	The Mysore Leo Engineering Company, Limited, Bangalore.	2 6 0 each, free delivery in Bangalore.
Foreign.				
2566	*Automatic Sluice Gates*—8' span × 10' deep consisting of mild steel gates of the Roller and Axle type with C. I. stainless steel roller paths, M. S. super structure with portable block and tackle gear.	3 sets	Glenfield & Kennedy, Limited, Bombay.	£ 2,040 0 0 nett, c.i.f., Marmagoa.
2822				
	Automatic Control equipment ..	Lot	Do do ..	£ 448 10 0 do
	Spare parts for the automatic gates and control equipment.		Do do ..	£ 96 10 0 do
	Supply of paint for iron work after erection.		Do do ..	£ 10 0 0 do
				Rs. a. p.
2567	Distribution Transformers 13, 200/115/230 volts, 25 cycles, single phase 5 K. V. A. capacity.	10	Government Electric Factory, Bangalore.	350 0 0 each, f.o.r., Bangalore City.
2745				
	Do 7.5 do	10	Do do ..	420 0 0 do *
	Do 10 do	15	Do do ..	480 0 0 do
	Do 15 do	6	Do do ..	570 0 0 do
	Do 25 do	6	Do do ..	760 0 0 do
	Do 37.5 do	6	Do do ..	780 0 0 do
	Do 50 do	6	Do do ..	920 0 0 do

*Less 10 per cent discount.

Indent & Enquiry No.	Description of material	Quantity	Name of the Firm	Value of Order
	Distribution Transformers 13,200/2,300/4,600 volts, 25 cycles, single phase 25 K. V. A.	4	Messrs.— Government Electric Factory, Bangalore.	Rs. a. p. 900 0 0 each f.o.r., Bangalore City. Less 10 per cent discount.
2568	*Transformers*—Single phase, oil immersed, self cooled 100 K. V. A.	Four	A.C.E.C. India, Ltd., Bombay ..	6,800 0 0 lot, c.i.f., Madras
2797	complete with arresters and porcelain enclosed primary fuse cutouts.			
2570	Iron shots special chilled for use with calyx drills grade No. 8 packed in triple bags.	10 Tons	Longhill Foundry, Ltd., Hartlepool.	£ 11 10 0 per ton of 2,240 lbs. f.o.b., Middlesburough.
2535	*Cable*—2 conductor 6 A. W. G. 4/64" dia.—76"×1.10".	1,000 Ft.	General Cable Corporation, New York.	$ 209.00 per 1,000 Ft. c.i.f., Madras.
Extn.				

Statement for the week ending Saturday the 13th August 1938.

Local.			Messrs.—	Rs. a. p.
4507	Gutter pieces for Filters	Four	Mysore Iron & Steel Works, Bhadravati.	250 0 0 lot, f.o.r., Bhadravati.
4503	Cement	Rate contract	Do do ..	45 0 0 per ton, f.o.r., any station for supplies in wagon loads.
4309	Gunny Bags, New, 100 seers capacity	Rate contract	Mr. A. Dasaratharamayya Setty, Bangalore City.	35 0 0 per 100 bags, free delivery in Bangalore.
2835	Do once used, do ..	do	Do do ..	27 8 0 do
	Do do 75 seers ,, ..	do	Do do ..	19 8 0 do
4510	Paint Blue Black—anti-corrosive ..	150 gallons	The General Paint & Oil Co., Ltd., Bangalore.	10 0 0 per gallon, free delivery in Bangalore.
2900	Do Red Oxide ..	200 gallons	Do do ..	8 0 0 do
4511	*Loco Carriage & Wagon spare parts*.—			
2761	Cast steel axle Boxes 7"×3.½" journals machined and finished.	32	Burn & Co., Ltd., Howrah ..	1,150 0 0 lumpsum, f.o.r., Mysore based on R. M. C. rates.
	Do do double groove machined.	32	Do do ..	1,200 0 0 do
	Buckles for trailing springs of M. H., M. & P. class engines.	12	William Jacks & Co., Madras ..	25 4 0 each, do
	Buckles for bogie laminated springs for G. S. Engines.	6	Do do ..	28 5 3 do
	Buckles for Drawbar springs. ..	12	Do do ..	31 4 9 do
	Steel Axle bars, siemens Martin forged 6½" dia. parallel ×5'—9" long EST. Wt. 6 c. 3.21 each.	50	Do do ..	22 14 0 Cwt. do
	Piston Rods—of acid forged S. M. steel class D annealed to B. S. specification—Wt. of each about 100 lbs.	12	Skoda (India) Ltd., Bombay ..	56 0 0 each, do
4511	Guides steel with wedges and stay plate complete for driving axle box 1 R.H., 1 L.H. for P. & M. class engines.	1 Set	Beruck & Connons (Engineers) Limited, 24, Pargnas.	330 0 0 lumpsum, f.o.r., Mysore based on R. M. C. rates.
2761				
	Guides steel for axle boxes of LDG DRG inter and trailing for G/Sengen complete with wedges, bolts, etc.	1 Set	Do do ..	346 0 0 do
	Axle steel billet 4'—4½"×4½" dia., each axle about 275 lbs.	100	Do do ..	376 0 0 per ton, do
	Bissel wheel axle steel billet 3'—1½"×4.½" dia., for L. T. class engines, each axle about 187 lbs.	6	Do do ..	376 0 0 do
	Buckles for leading pillar springs of M. & P. class engines.	6	The Indian Standard Wagon Co., Ltd., Howrah.	26 0 0 each, f.o.r., Burnpur.
4512	Thermometers mercury filled on genuine ivory mounts reading from +20° to 120° F in 1/1° for testing liquors.	25	Laboratory Supplies Co., Bombay.	7 8 0 each, free delivery in Bangalore.
4513	Sulphate of Alumina 17/18 per cent white lumps 'Tower' & 'Eagle'.	50 tons	The Cawnpore Chemical Works, Ltd., Cawnpore.	100 0 0 per ton, f.o.r., Bangalore.
	Do do ..	50 tons	Havero Trading Co., Ltd., Madras.	101 0 0 do
4514	C. I. Pressure reducing valve 8" dia., gun metal fitted.	One	John Fleming & Co., Bombay ..	695 0 0 each, f.o.r., Bangalore.
4515	Bushing Insulators type—service volts, wet test T. 2734. 400/800—20 K. V.	1,000	A.C.E.C. India, Ltd., Bombay ..	5 8 0 each, f.o.r., Bombay.
	Do T. 1684, 13,000/17,000—60 K.V.	500	Do do ..	18 10 0 do

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
			Messrs.—	
Foreign. 2574	Switchboard Panel.—2" thick in two sections, top section 62"×24" bottom 28"×24" with $\frac{3}{8}$" bevels on all front edges and mounted on 90"—1$\frac{1}{2}$" pipe frame work.	One	Crompton Engineering Co., Ltd., Madras.	2,912 13 0 lot, c.i.f., Madras
2560	Switchboard equipment for Davangere consisting of black enamelled switchboard enamel 1$\frac{1}{2}$" thick in two sections, top section being 60"×24" bottom 30"×24" with $\frac{3}{8}$" bevels on all front edges and mounted on 90"—1$\frac{1}{2}$" pipe frame work with all the necessary instruments mounted thereon.	Lot	Siemens (India) Ltd., Madras ..	11,736 8 0 price for the entire equipment, c.i.f., Madras.
2575	Cable—Single conductor for outdoor use insulated for 600 volts.	3,000 Ft.	International General Electric Co. of New York, London.	$ 71.50 per 1,000 Ft., c.i.f., Madras.
2885	pressure size 7/12.			
	Do do 7/14 ..	3,000 Ft.	Do Do ..	$ 62.80 do
	Do do 7/16 ..	3,000 Ft.	Do do ..	$ 42.90 do
	Do do 19/16 ..	2,000 Ft.	Do do ..	$ 76.90 do
	Cable—Single conductor for outdoor use insulated for 6,000 volts pressure 0.02" thick size 7/19.	5,000 Ft.	United States Steel Products Co., New York, through Messrs. A. G. Senapathy & Co., Bangalore.	$ 61.00 do
	Do do 7/22 ..	5,000 Ft.	Do do ..	$ 52.00 do

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.